

O'Bryen, Barbara

---

From: Angell, Jon E  
Sent: Wednesday, June 02, 2004 4:42 PM  
To: O'Bryen, Barbara  
Subject: Sequence Database Search Request

**SEARCH REQUEST FORM**  
Scientific and Technical Information Center

Examiner# : 78697  
Art Unit : 1635  
Phone Number: 571-272-0756  
Date: 6/2/04  
Serial Number: 09/945,173 (Meyers)  
Mailbox & Bldg/Room Location: REMSEN 2C18  
Results Format Preferred: DISK

I would like to have the following searches performed using the following SEQ. ID NOs. from application : 09/945,173 (Meyers)

SEQ ID NO. 1--nucleic acid sequence (size=~1694 nucleotides)  
Please perform: (1) a standard search of SEQ ID NO. 1, as well as

(2) a search that identifies hits that match SEQ ID NO. 1, but are no longer than 50 nucleotides in length  
(i.e., size limit search wherein the size limit is set to 50 nucleotides)

SEQ ID NO. 2--amino acid sequence encoded by SEQ ID NO. 1 (size=~236 amino acids)  
Please perform a search to identify all nucleic acids which encode the amino acid sequence of SEQ ID NO. 2 (i.e., reverse transcribe & search)

Thanks,  
Eric

*J. Eric Angell*  
Art Unit 1635  
Office: REMSEN 2D20  
mailbox: REM 2C18  
571-272-0756

GenCore version 5.1.6  
Copyright (c) 1993 - 2004 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: June 4, 2004, 19:53:35 ; Search time 6429 Seconds  
(without alignments)  
11420.610 Million cell  
updates/sec

Title: US-09-945-173-1  
Perfect score: 1694  
Sequence: 1 aggaaaggcagtggcaagat.....aaacatgaattattgaacta  
1694

Scoring table: IDENTITY\_NUC  
Gapop 10.0 , Gapext 1.0

Searched: 3470272 seqs, 21671516995 residues

Total number of hits satisfying chosen parameters: 6940544

Minimum DB seq length: 0  
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%  
Maximum Match 100%  
Listing first 45 summaries

Database : GenEmbl:  
1: gb\_ba:  
2: gb\_htg:  
3: gb\_in:  
4: gb\_om:  
5: gb\_ov:  
6: gb\_pat:  
7: gb\_ph:  
8: gb\_pl:  
9: gb\_pr:  
10: gb\_ro:  
11: gb\_sts:  
12: gb\_sy:  
13: gb\_un:  
14: gb\_vi:  
15: em\_ba:  
16: em\_fun:  
17: em\_hum:  
18: em\_in:  
19: em\_mu:  
20: em\_om:  
21: em\_or:  
22: em\_ov:  
23: em\_pat:  
24: em\_ph:  
25: em\_pl:  
26: em\_ro:  
27: em\_sts:  
28: em\_un:  
29: em\_vi:

```

30: em_htg_hum:*
31: em_htg_inv:*
32: em_htg_other:*
33: em_htg_mus:*
34: em_htg_pln:*
35: em_htg_rod:*
36: em_htg_mam:*
37: em_htg_vrt:*
38: em_sy:*
39: em_htgo_hum:*
40: em_htgo_mus:*
41: em_htgo_other:*

```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed,  
and is derived by analysis of the total score distribution.

#### SUMMARIES

Result No.	Score	Query			Description	
		Match	Length	DB	ID	
<hr/>						
Sequence	1 1694	100.0	1694	6	AX465669	AX465669
sapi	2 1680.6	99.2	3362	9	HSM807705	BX647559 Homo
sapi	3 1680.6	99.2	3449	9	HSM807739	BX647593 Homo
sapi	4 1666.8	98.4	1999	9	BC020832	BC020832 Homo
sapi	5 1660.8	98.0	3352	9	HSM807810	BX647664 Homo
sapi	6 1387	81.9	2550	9	AK025772	AK025772 Homo
sapi	7 1022.2	60.3	65838	9	AC133474	AC133474 Homo
sapi	8 1022.2	60.3	146010	9	AC009289	AC009289 Homo
muscu	9 875.6	51.7	2064	10	BC050194	BC050194 Mus
Sequence	10 711	42.0	711	6	AX465671	AX465671
Danio rer	11 395.4	23.3	1291	5	AY391440	AY391440
EST of	12 374.8	22.1	385	6	BD076273	BD076273 5'
c	13 330.8	19.5	155418	2	AC117754	AC117754 Mus
muscu	14 321	18.9	321	6	AX906158	AX906158
Sequence	15 321	18.9	321	6	BD041691	BD041691
Sequence	16 301.8	17.8	245326	2	AC107288	AC107288
Rattus no	17 301.8	17.8	266597	2	AC119722	AC119722
Rattus no	18 139.2	8.2	66009	2	AC101250	AC101250 Mus
muscu						

sapi	19	135	8.0	119730	9	AC117472	AC117472 Homo
sapi	20	135	8.0	188485	2	AC027454	AC027454 Homo
Danio rer	c 21	102.2	6.0	165836	2	AC138153	AC138153
Danio rer	c 22	102.2	6.0	175167	2	BX571724	BX571724
Danio rer	c 23	102.2	6.0	180928	2	AC139727	AC139727
Danio rer	c 24	92.6	5.5	66009	2	AC101250	AC101250 Mus
muscu	c 25	81.6	4.8	87017	2	AC140043	AC140043 Mus
muscu	c 26	77.6	4.6	29949	2	AC112488	AC112488 Homo
sapi	c 27	77.6	4.6	179351	2	AC143587	AC143587
Macaca mu	c 28	67.2	4.0	188485	2	AC027454	AC027454 Homo
sapi	c 29	66.8	3.9	934	3	AY070945	AY070945
Drosophil	c 30	56.8	3.4	8610	2	AC012956	AC012956
Drosophil	c 31	56.8	3.4	177577	3	AC022349	AC022349
Drosophil	c 32	56.8	3.4	179016	3	AC018489	AC018489
Drosophil	c 33	56.8	3.4	300469	3	AE003503	AE003503
Drosophil	c 34	51.8	3.1	1141	6	AX083744	AX083744
Sequence	c 35	48.8	2.9	254436	3	AE014827	AE014827
Plasmodiu	c 36	48.2	2.8	134971	2	AC116367	AC116367
Oryza sat	c 37	47.6	2.8	1541	8	AK068217	AK068217
Oryza sat	c 38	47.6	2.8	247129	2	AC111725	AC111725
Rattus no	c 39	47.2	2.8	88549	3	AC116979	AC116979
Dictyoste	c 40	47.2	2.8	110000	3	PFMAL1P2_1	Continuation
(2 of	c 41	46.8	2.8	84550	3	PFMAL1P2_3	Continuation
(4 of	c 42	46	2.7	110000	2	PFMAL13_18	Continuation
(19 o	c 43	45.8	2.7	131811	9	AC068305	AC068305 Homo
sapi	c 44	45.8	2.7	136448	2	AC012231	AC012231 Homo
sapi	c 45	45.8	2.7	138003	2	AC018346	AC018346 Homo
sapi							

## ALIGNMENTS

RESULT 1  
AX465669

LOCUS AX465669 1694 bp DNA linear PAT 16-  
 JUL-2002  
 DEFINITION Sequence 1 from Patent WO0218425.  
 ACCESSION AX465669  
 VERSION AX465669.1 GI:21899929  
 KEYWORDS .  
 SOURCE Homo sapiens (human)  
 ORGANISM Homo sapiens  
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;  
 Euteleostomi;  
 Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.  
 REFERENCE 1  
 AUTHORS Meyers, R.A.  
 TITLE 47324, a human g-protein and uses therefor  
 JOURNAL Patent: WO 0218425-A 1 07-MAR-2002;  
 Millennium Pharmaceuticals (US)  
 FEATURES Location/Qualifiers  
 source 1. .1694  
 /organism="Homo sapiens"  
 /mol\_type="unassigned DNA"  
 /db\_xref="taxon:9606"  
 CDS 19. .729  
 /note="unnamed protein product"  
 /codon\_start=1  
 /protein\_id="CAD42379.1"  
 /db\_xref="GI:21899930"  
 /db\_xref="REMTREMBL:CAD42379"  
  
 /translation="MASLDRVVKVLVLGDSGVGVKSSLVHLLCQNQVLGNPSWTVGCSV  
 VRVHDYKEGTPEEKTYYIELWDVGGSGSASSVKSTRAVFYNSVNGIIFVHDLTNKKS  
 SQNLRRWSLEALNRDLVPTGVLTNGDYDQEQQFADNQIPLLVIGTKLDQIHETKRHEV  
 LTRTAFLAEDFNPEEINLDCTNPRYLAAGSSNAVKLSRFFDKVIEKRYFLREGNQIPG  
 FPDRKRGAGTLKSLHYD"  
 ORIGIN  
  
 Query Match 100.0%; Score 1694; DB 6; Length 1694;  
 Best Local Similarity 100.0%; Pred. No. 0;  
 Matches 1694; Conservative 0; Mismatches 0; Indels 0;  
 Gaps 0;  
  
 Qy 1  
 AGGGAAAGGCAGTGGCAAGATGGCGTCCCTGGATCGGGTAAGGTACTGGTGTTGGGAGAC 60  
 |||||||  
 Db 1  
 AGGGAAAGGCAGTGGCAAGATGGCGTCCCTGGATCGGGTAAGGTACTGGTGTTGGGAGAC 60  
  
 Qy 61  
 TCAGGTGTTGGAAATCTCGTTAGTCATCTCCTATGCCAAATCAAGTGCTGGAAAT 120  
 |||||||  
 Db 61  
 TCAGGTGTTGGAAATCTCGTTAGTCATCTCCTATGCCAAATCAAGTGCTGGAAAT 120  
  
 Qy 121  
 CCATCATGGACTGTGGGCTGCTCAGTGGATGTCAGAGTCATGATTACAAGAAGGAACC 180  
 |||||||

Db 121  
CCATCATGGACTGTGGCTGCTCAGTGGATGTCAGAGTTCATGATTACAAAGAAGGAACC 180

Qy 181  
CCAGAAGAGAAGACCTACTACATAGAATTATGGGATGTTGGAGGCTCTGTGGCAGTGCC 240

||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||  
Db 181  
CCAGAAGAGAAGACCTACTACATAGAATTATGGGATGTTGGAGGCTCTGTGGCAGTGCC 240

Qy 241  
AGCAGCGTGAAAAGCACAAAGAGCAGTATTCTACAACCTCCGTAAATGGTATTATTCGTA 300

||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||  
Db 241  
AGCAGCGTGAAAAGCACAAAGAGCAGTATTCTACAACCTCCGTAAATGGTATTATTCGTA 300

Qy 301  
CACGACTTAACAAATAAGAAGTCCTCCAAAACCTGCGTCGTTGGTCATTGGAAGCTCTC 360

||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||  
Db 301  
CACGACTTAACAAATAAGAAGTCCTCCAAAACCTGCGTCGTTGGTCATTGGAAGCTCTC 360

Qy 361  
AACAGGGATTTGGTGCCAAGTGGAGTCTTGGTGACAAATGGGATTATGATCAAGAACAG 420

||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||  
Db 361  
AACAGGGATTTGGTGCCAAGTGGAGTCTTGGTGACAAATGGGATTATGATCAAGAACAG 420

Qy 421  
TTTGCTGATAACCAAATACCACTGTTGGTAATAGGACTAAACTGGACCAGATTGAA 480

||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||  
Db 421  
TTTGCTGATAACCAAATACCACTGTTGGTAATAGGACTAAACTGGACCAGATTGAA 480

Qy 481  
ACAAAGGCCATGAAGTTTAACCTAGGACTGCTTCCTGGCTGAGGATTCAATCCAGAA 540

||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||  
Db 481  
ACAAAGGCCATGAAGTTTAACCTAGGACTGCTTCCTGGCTGAGGATTCAATCCAGAA 540

Qy 541  
GAAATTAATTGGACTGCACAAATCCACGGTACTTAGCTGCAGGTTCTCCAATGCTGTC 600

||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||  
Db 541  
GAAATTAATTGGACTGCACAAATCCACGGTACTTAGCTGCAGGTTCTCCAATGCTGTC 600

Qy 601  
AAGCTCAGTAGGTTTTGATAAGGTAGAGAGAGATACTTTAAGAGAAGGTAAT 660

||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||  
Db 601  
AAGCTCAGTAGGTTTTGATAAGGTAGAGAGAGATACTTTAAGAGAAGGTAAT 660

Qy 661  
CAGATTCCAGGCTTCCTGATCGGAAAAGATTGGGGCAGGAACATTAAAGAGCCTTCAT 720

|||||||  
Db 661  
CAGATTCCAGGCTTCCTGATCGAAAAGATTGGGCAGGAACATTAAGAGCCTTCAT 720

Qy 721  
TATGACTGAATTACACTCATCCTTGAAAGAGTGAGCAAGCAGTGGCAGTTTCACAGC 780

|||||||  
Db 721  
TATGACTGAATTACACTCATCCTTGAAAGAGTGAGCAAGCAGTGGCAGTTTCACAGC 780

Qy 781  
TCATCTTGCTGTGTTCAATTATTACCATCACAGCCTTTAACAAAATCATCTTAAATGC 840

|||||||  
Db 781  
TCATCTTGCTGTGTTCAATTATTACCATCACAGCCTTTAACAAAATCATCTTAAATGC 840

Qy 841  
TACCCCTCAGCCTTACCCCTTAATGGAAAAATGAAAGGAAGTGACAATACGGGAGGTCCA 900

|||||||  
Db 841  
TACCCCTCAGCCTTACCCCTTAATGGAAAAATGAAAGGAAGTGACAATACGGGAGGTCCA 900

Qy 901  
AACTTTGCCCTGTTCTCTGTGTTCTTACCTTCTGTCCCTGTGTATAGATTATGTAAA 960

|||||||  
Db 901  
AACTTTGCCCTGTTCTCTGTGTTCTTACCTTCTGTCCCTGTGTATAGATTATGTAAA 960

Qy 961  
AGCCTTGTGTAAATATGAGATGTTGTCAAAATGATGCAGTAAATGAGCAATGACAGTGTA 1020

|||||||  
Db 961  
AGCCTTGTGTAAATATGAGATGTTGTCAAAATGATGCAGTAAATGAGCAATGACAGTGTA 1020

Qy 1021  
CTGCAGAGAAAATTACTCTTGCCTAGAACTGGAGGGTTTATGGGTCTGTAATTTCC 1080

|||||||  
Db 1021  
CTGCAGAGAAAATTACTCTTGCCTAGAACTGGAGGGTTTATGGGTCTGTAATTTCC 1080

Qy 1081  
CACACTCATTGCTGAAAGCTTAATTAAGTACTTCAAAACGTATCTCCATTGTTTACCT 1140

|||||||  
Db 1081  
CACACTCATTGCTGAAAGCTTAATTAAGTACTTCAAAACGTATCTCCATTGTTTACCT 1140

Qy 1141  
TCTTGAGGGGAACGGTCTGTTAACCAACAGCCCTGAGTTGTCTACCCAAACAATCTCTGTC 1200

|||||||  
Db 1141  
TCTTGAGGGGAACGGTCTGTTAACCAACAGCCCTGAGTTGTCTACCCAAACAATCTCTGTC 1200

Qy 1201  
ATTTTCAAAGATGCAAAATGGTGTATTAAATTGTCTCCACCATTGTCACACACAGGAAT 1260  
|||||||  
Db 1201  
ATTTTCAAAGATGCAAAATGGTGTATTAAATTGTCTCCACCATTGTCACACACAGGAAT 1260

Qy 1261  
GCCTAATAATAGCAACCCTTGCTCCCTTCTCCTTGCCTTGCAAATGGCTCAGTGACTGG 1320  
|||||||  
Db 1261  
GCCTAATAATAGCAACCCTTGCTCCCTTCTCCTTGCCTTGCAAATGGCTCAGTGACTGG 1320

Qy 1321  
AAGAGGCCGCGACTAATAGCCAGAGTTAAATATAAATACAAATTAAATAATACATAGAGAAC 1380  
|||||||  
Db 1321  
AAGAGGCCGCGACTAATAGCCAGAGTTAAATATAAATACAAATTAAATAATACATAGAGAAC 1380

Qy 1381  
GCAATACCAGAAAAAAAAGAATTCTGGTAAATGATGTGAAAAATTGACAGCTCCCTCACT 1440  
|||||||  
Db 1381  
GCAATACCAGAAAAAAAAGAATTCTGGTAAATGATGTGAAAAATTGACAGCTCCCTCACT 1440

Qy 1441  
CTTAAGGTTGCTGCTATATACAGTCTAGGTTCTGTTGGAAATAGTAGGGTAAATC 1500  
|||||||  
Db 1441  
CTTAAGGTTGCTGCTATATACAGTCTAGGTTCTGTTGGAAATAGTAGGGTAAATC 1500

Qy 1501  
TAAGACCTGCACAAGGGCAGTGAGAGACATTACAGCCTCTCTATTGTTTTAA 1560  
|||||||  
Db 1501  
TAAGACCTGCACAAGGGCAGTGAGAGACATTACAGCCTCTCTATTGTTTTAA 1560

Qy 1561  
GGAAAAGTCAACTCCTGAAATGTCCCTAGCTATAATCAGAAAACTAAGAATATTATTCT 1620  
|||||||  
Db 1561  
GGAAAAGTCAACTCCTGAAATGTCCCTAGCTATAATCAGAAAACTAAGAATATTATTCT 1620

Qy 1621  
GTGTCAACAATGTATTTATGGAGAGAAGTAAAATAAGTCCACAGCAACACAAAAACAT 1680  
|||||||  
Db 1621  
GTGTCAACAATGTATTTATGGAGAGAAGTAAAATAAGTCCACAGCAACACAAAAACAT 1680

Qy 1681 GAATTATTGAACTA 1694  
|||||||  
Db 1681 GAATTATTGAACTA 1694

RESULT 2  
HSM807705  
LOCUS HSM807705 3362 bp mRNA linear PRI 30-AUG-2003  
DEFINITION Homo sapiens mRNA; cDNA DKFZp313A1611 (from clone DKFZp313A1611).  
ACCESSION BX647559  
VERSION BX647559.1 GI:34366716  
KEYWORDS .  
SOURCE Homo sapiens (human)  
ORGANISM Homo sapiens  
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;  
Euteleostomi;  
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.  
REFERENCE 1 (bases 1 to 3362)  
AUTHORS Koehrer,K., Beyer,A., Mewes,H.W., Weil,B., Amid,C., Osanger,A., Fobo,G., Han,M. and Wiemann,S.  
CONSLTM The German Human cDNA Consortium  
TITLE Direct Submission  
JOURNAL Submitted (27-AUG-2003) MIPS, Ingolstaedter Landstr.1, D-85764 Neuherberg, GERMANY  
COMMENT Clone from S. Wiemann, Molecular Genome Analysis, German Cancer Research Center (DKFZ); Email s.wiemann@dkfz-heidelberg.de; sequenced by BMFZ (Biomedical Research Center at the Heinrich-Heine-University, Duesseldorf/Germany) within the sequencing consortium of the German Genome Project. This clone (DKFZp313A1611) is available at the RZPD in Berlin. Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059 Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de Further information about the clone and the sequencing project is available at <http://mips.gsf.de/proj/cDNA/>.  
FEATURES Location/Qualifiers  
source 1..3362  
/organism="Homo sapiens"  
/mol\_type="mRNA"  
/db\_xref="taxon:9606"  
/clone="DKFZp313A1611"  
/tissue\_type="human bone marrow"  
/clone\_lib="313 (synonym: hlcc2). Vector pTriplEx2;  
host DH10B; sites SfiIA + SfiIB  
/dev\_stage="adult"  
polyA\_signal 3308..3313  
polyA\_site 3332  
ORIGIN  
Query Match 99.2%; Score 1680.6; DB 9; Length 3362;  
Best Local Similarity 99.8%; Pred. No. 0;  
Matches 1683; Conservative 0; Mismatches 4; Indels 0;  
Gaps 0;  
Qy 1  
AGGGAAAGGCAGTGGCAAGATGGCGTCCCTGGATCGGGTAAGGTACTGGTGTTGGAGAC 60

|||||||  
Db 10  
AGGAAGGCAGTGGCAAGATGGCGCCCTGGATCGGGTAAGGTACTGGTGGAGAC 69

Qy 61  
TCAGGTGTTGGAAATCTCGTTAGTCATCTCCTATGCCAAATCAAGTGCTGGAAAT 120

|||||||  
Db 70  
TCAGGTGTTGGAAATCTCGTTAGTCATCTCCTATGCCAAATCAAGTGCTGGAAAT 129

Qy 121  
CCATCATGGACTGTGGCTGCTCAGGGATGTCAGAGTTCATGATTACAAAGAAGGAACC 180

|||||||  
Db 130  
CCATCATGGACTGTGGCTGCTCAGGGATGTCAGAGTTCATGATTACAAAGAAGGAACC 189

Qy 181  
CCAGAAGAGAACCTACTACATAGAATTATGGGATGTTGGAGGCTCTGTGGCAGTGC 240

|||||||  
Db 190  
CCAGAAGAGAACCTACTACATAGAATTATGGGATGTTGGAGGCTCTGTGGCAGTGC 249

Qy 241  
AGCAGCGTAAAAGCACAAGAGCAGTATTCTACAACCTCCGTAAATGGTATTATTCGTA 300

|||||||  
Db 250  
AGCAGCGTAAAAGCACAAGAGCAGTATTCTACAACCTCCGTAAATGGTATTATTCGTA 309

Qy 301  
CACGACTTAACAAATAAGAAGTCCTCCAAAACCTGGCGTGGTCATTGGAAGCTCTC 360

|||||||  
Db 310  
CACGACTTAACAAATAAGAAGTCCTCCAAAACCTGGCGTGGTCATTGGAAGCTCTC 369

Qy 361  
AACAGGGATTTGGTGCCAACTGGAGTCTGGTGACAAATGGGATTATGATCAAGAACAG 420

|||||||  
Db 370  
AACAGGGATTTGGTGCCAACTGGAGTCTGGTGACAAATGGGATTATGATCAAGAACAG 429

Qy 421  
TTTGCTGATAACCAAATACCACTGTTGGTAATAGGGACTAAACTGGACAGATTGAA 480

|||||||  
Db 430  
TTTGCTGATAACCAAATACCACTGTTGGTAATAGGGACTAAACTGGACAGATTGAA 489

Qy 481  
ACAAAGCGCCATGAAGTTAACTAGGACTGCTTCCTGGCTGAGGATTCAATCCAGAA 540

|||||||  
Db 490  
ACAAAGCGCCATGAAGTTAACTAGGACTGCTTCCTGGCTGAGGATTCAATCCAGAA 549

Qy 541

GAAATTAATTGGACTGCACAAATCCACGGTACTTAGCTGCAGGTTCTCCAATGCTGTC 600

Db 550

GAAATTAATTGGACTGCACAAATCCACGGTACTTAGCTGCAGGTTCTCCAATGCTGTC 609

Qy 601

AAGCTCAGTAGGTTTTGATAAGGTAGAGAAGAGATACTTTTAAGAGAAGGTAAT 660

Db 610

AAGCTCAGTAGGTTTTGATAAGGTAGAGAAGAGATACTTTTAAGAGAAGGTAAT 669

Qy 661

CAGATTCCAGGCTTCCTGATCGGAAAAGATTGGGGCAGGAACATTAAAGAGCCTTCAT 720

Db 670

CAGATTCCAGGCTTCCTGATCGGAAAAGATTGGGGCAGGAACATTAAAGAGCCTTCAT 729

Qy 721

TATGACTGAATTACACTCATCCTTGAAAGAGTGAGCAAGCAGTGGCAGTTTCACAGC 780

Db 730

TATGACTGAATTACACTCATCCTTGAAAGAGTGAGCAAGCAGTGGCAGTTTCACAGC 789

Qy 781

TCATCTTGCTGTGTTCAATTATTACCATCACAGCCTTTAACAAAATCATCTTAAATGC 840

Db 790

TCATCTTGCTGTGTTCAATTATTACCATCACAGCCTTTAACAAAATCATCTTAAATGC 849

Qy 841

TACCCTTCAGCCTTACCTTAATGGAAAAATGAAAGGAAGTGACAATACGGGAGGTCCA 900

Db 850

TACCCTTCAGCCTTACCTTAATGGAAAAATGAAAGGAAGTGACAATACGGGAGGTCCA 909

Qy 901

AACTTTGTCCCTGTTCTCTGTGTTCCCTACCTTCTGTCCCTGTGTATAGATTATGAAA 960

Db 910

AACTTTGTCCCTGTTCTCTGTGTTCCCTACCTTCTGTCCCTGTGTATAGATTATGAAA 969

Qy 961

AGCCTTGTGTAAATATGAGATGTTGTCAAAATGATGCAGTAAATGAGCAATGACAGTGTA 1020

Db 970

AGCCTTGTGTAAATATGAGATGTTGTCAAAATGATGCAGTAAATGAGCAATGACAGTGTA 1029

Qy 1021

CTGCAGAGAAAATTACTCTTGCCTAGAACTGGAGGGTTTATGGGTCTGTAATTTC 1080

Db 1030

CTGCAGAGAAAATTACTCTTGCCTAGAACTGGAGGGTTTATGGGTCTGTAATTTC 1089

GenCore version 5.1.6  
Copyright (c) 1993 - 2004 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: June 4, 2004, 21:11:55 ; Search time 6428 Seconds  
(without alignments)  
11422.386 Million cell  
updates/sec

Title: US-09-945-173-1  
Perfect score: 1694  
Sequence: 1 aggaaaggcagtggcaagat.....aaacatgaattattgaacta  
1694

Scoring table: IDENTITY\_NUC  
Gapop 10.0 , Gapext 1.0

Searched: 3470272 seqs, 21671516995 residues

Total number of hits satisfying chosen parameters: 1603530

Minimum DB seq length: 0  
Maximum DB seq length: 50

Post-processing: Minimum Match 0%  
Maximum Match 100%  
Listing first 45 summaries

Database : GenEmbl:  
1: gb\_ba:  
2: gb\_htg:  
3: gb\_in:  
4: gb\_om:  
5: gb\_ov:  
6: gb\_pat:  
7: gb\_ph:  
8: gb\_pl:  
9: gb\_pr:  
10: gb\_ro:  
11: gb\_sts:  
12: gb\_sy:  
13: gb\_un:  
14: gb\_vi:  
15: em\_ba:  
16: em\_fun:  
17: em\_hum:  
18: em\_in:  
19: em\_mu:  
20: em\_om:  
21: em\_or:  
22: em\_ov:  
23: em\_pat:  
24: em\_ph:  
25: em\_pl:  
26: em\_ro:  
27: em\_sts:  
28: em\_un:  
29: em\_vi:

```

30: em_htg_hum:*
31: em_htg_inv:*
32: em_htg_other:*
33: em_htg_mus:*
34: em_htg_pln:*
35: em_htg_rod:*
36: em_htg_mam:*
37: em_htg_vrt:*
38: em_sy:*
39: em_htgo_hum:*
40: em_htgo_mus:*
41: em_htgo_other:*

```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed,  
and is derived by analysis of the total score distribution.

#### SUMMARIES

Result No.	Score	Query					Description
		Match	Length	DB	ID		
<hr/>							
1	23	1.4	50	6	AR095375		AR095375
Sequence							
c 2	22.6	1.3	50	8	ATH531634		AJ531634
Arabidops							
c 3	22.2	1.3	41	6	AX772159		AX772159
Sequence							
4	22.2	1.3	47	6	AR291819		AR291819
Sequence							
5	22.2	1.3	49	1	AFU430318		AJ430318
Archaeogl							
6	21.8	1.3	41	6	AX515661		AX515661
Sequence							
7	21.8	1.3	41	6	AX518256		AX518256
Sequence							
8	21.8	1.3	47	6	AR291554		AR291554
Sequence							
9	21.6	1.3	42	10	MMU232767		AJ232767 Mus
muscu							
10	21.2	1.3	39	6	AR022583		AR022583
Sequence							
11	21.2	1.3	39	6	AR037598		AR037598
Sequence							
12	21.2	1.3	39	6	AR166584		AR166584
Sequence							
13	21.2	1.3	39	6	AR178056		AR178056
Sequence							
14	21.2	1.3	47	6	AR291096		AR291096
Sequence							
15	20.8	1.2	36	6	AR152139		AR152139
Sequence							
16	20.8	1.2	36	6	AR174546		AR174546
Sequence							
17	20.8	1.2	36	6	AR404212		AR404212
Sequence							
18	20.8	1.2	44	6	AX497105		AX497105
Sequence							

19	20.8	1.2	46	6	I22397	I22397
Sequence 5						
c 20	20.8	1.2	47	6	AR291749	AR291749
Sequence						
21	20.8	1.2	48	9	S64862S2	S64863 alpha
1-the						
22	20.4	1.2	40	6	AR163454	AR163454
Sequence						
23	20.4	1.2	40	6	BD103192	BD103192 O-
fucosyl						
24	20.4	1.2	40	6	BD103194	BD103194 O-
fucosyl						
25	20.4	1.2	45	10	MMC1RNA	X60845
M.musculus						
c 26	20.4	1.2	47	6	AR288610	AR288610
Sequence						
c 27	20.4	1.2	47	6	AX378249	AX378249
Sequence						
c 28	20.4	1.2	47	6	AX378272	AX378272
Sequence						
29	20.4	1.2	50	6	AR423115	AR423115
Sequence						
30	20.4	1.2	50	6	BD118668	BD118668 EST
and e						
31	20.2	1.2	50	6	I36502	I36502
Sequence 1						
32	20.2	1.2	50	6	AR423218	AR423218
Sequence						
c 33	20.2	1.2	50	6	AX261361	AX261361
Sequence						
34	20.2	1.2	50	6	BD118771	BD118771 EST
and e						
c 35	20.2	1.2	50	6	BD170451	BD170451
Method of						
c 36	20	1.2	28	6	AR014037	AR014037
Sequence						
c 37	20	1.2	28	6	I21987	I21987
Sequence 73						
38	20	1.2	39	6	AR302247	AR302247
Sequence						
39	20	1.2	39	6	AR367377	AR367377
Sequence						
40	20	1.2	39	6	AX080330	AX080330
Sequence						
41	20	1.2	47	6	I11814	I11814
Sequence 3						
42	20	1.2	47	6	BD196579	BD196579
Prostatic						
43	20	1.2	50	6	AX164928	AX164928
Sequence						
44	20	1.2	50	8	ATH527926	AJ527926
Arabidops						
c 45	19.8	1.2	45	6	A67371	A67371
Sequence 12						

#### ALIGNMENTS

RESULT 1  
AR095375